## **AQUARIUS DECK 5010**




## WARNING

- Install the step on a flat surface.
- ▶ Do not jump or dive from the step.
- ▶ Remove the step from water when temperatures drop below freezing.
- ▶ In winter, the step should be stored in an area protected from snow.
- Never lift the step by its handrails.
- ▶ Use BATTERY operated tools to avoid electric shock near water.
- ▶ Ensure no corrosive materials are added to the step or harware kit.
- ▶ The step must be installed per manufacturer's instructions.
- ► File off all stripped or sharp edges before assembly to avoid injuries and liner damage.
- ► The manufacturer is not responsible for damages or injuries caused by improper installation or use of product.
- ► To ease the installation of handrails and bolts, use a screwdriver to line up the holes.









2257 route 139 Drummondville, Québec J2A 2G2

WWW.INNOVAPLAS.COM

**MANUFACTURER WARRANTY** 

1 year on pool step.1 year on hardware.

REV. 02/26/2020


PN:

PG:1

## **AQUARIUS DECK 5010**

B

- 1) Snap the three post ends into the step, making sure that the cylindrical part is vertical and that the ends are snapped properly in their respective housings.
- **2)** Snap the filler post end into the step as shown.
- **3)** Snap the two feet to the bottom of the step.




\*SAND

1) Fill the bag provided with sand. The approximate weight should be 5 lbs.

\*Sand not included



- 1) Slide the two tie wraps in place and place the sand bags into the riser.
- **2)** Fasten the tie wraps. Do not overtighten.





E


- 1) Insert the two step cups in the riser.\*
- 2) Place the riser on the ground, install the step on top of the riser and fasten with the four screws and plastic screw caps provided.
- 3) Snap the screw caps covers in place.



\* View step cups installation tips on YouTube: https://www.youtube.com/watch?v=W5RH1VNxpu0









2257 route 139 Drummondville, Québec J2A 2G2

WWW.INNOVAPLAS.COM

**MANUFACTURER WARRANTY** 


1 year on pool step.1 year on hardware.

REV. 02/26/2020


PN:

PG:2


## **AQUARIUS DECK 5010**



1) Once the step has been entirely submerged, put it in place, with the deck supports resting on the deck.




- **2)** Once the step is in the pool, measure as illustrated.
- 3) Insert the short post into the post end and screw together with the screw provided.
- 4) Cut the short post based on the measurement taken in step #2. BE SURE TO CUT 3/4" SHORTER THAN THE MEASUREMENT TO ALLOW INSTALLATION OF THE POST COVER.





- 1) Pull the deck supports (already fixed to the deck) upwards to create a spring effect on the step.
- **2)** Fasten the supports to the two rear posts while pushing the entire step downwards.





2257 route 139 Drummondville, Québec J2A 2G2

- 1 year on pool step. 1 year on hardware.
- -